

BREVE CURRICULUM VITAE			
Informazioni personali: Cognome / Nome	PIZZOLO GIOVANNI		
Qualifica Possibili qualifiche: 1. Docente con titolo ufficiale 2. Esperto professionale	DOCENTE CON TITOLO UFFICIALE		
Istruzione e formazione <i>Indicare i titoli posseduti; indicare solo le voci indispensabili a stabilire la competenza (ad es. se si è in possesso di titolo di laurea non è necessario indicare il diploma di scuola superiore conseguito)</i>	<i>Data di conseguimento</i>	<i>Titolo della qualifica rilasciata</i>	<i>Nome e tipo d'organizzazione erogatrice dell'istruzione e formazione</i>
Diploma universitario			
Laurea	1969	LAUREA IN MEDICINA E CHIRURGIA	Università di Padova
Laurea specialistica			
Specializzazioni	1973 1978	EMATOLOGIA ONCOLOGIA	Università di Padova
Master			
Dottorato di ricerca			
Altri titoli			
Esperienza professionale <i>Iniziare con le informazioni più recenti ed elencare separatamente ciascun impiego ricoperto solo se pertinente ai contenuti del corso specifico (se necessario aggiungere delle righe)</i>	Professore Ordinario di Ematologia, Direttore della Scuola di Specializzazione in Ematologia, Direttore della Sezione di Ematologia del Dipartimento di Medicina, Università degli Studi di Verona; Direttore del Dipartimento di Medicina, Azienda Integrata Ospedaliera Universitaria di Verona		
Date			
Lavoro o posizione ricoperti			
Principali attività e responsabilità			
Date			
Lavoro o posizione ricoperti			
Principali attività e responsabilità			
Attività scientifiche e didattiche <i>Iniziare con le informazioni più recenti ed elencarle solo se pertinenti ai contenuti del corso specifico</i>	Membro attivo della Società Italiana di Ematologia (SIE) ed Ematologia Sperimentale (SIES), della American Society of Haematology (ASH), della European Hematology Association (EHA)		
Pubblicazioni scientifiche <i>Iniziare con le informazioni più recenti ed elencarle solo se pertinente ai contenuti del corso specifico</i>	<p>255 pubblicazioni recensite su MEDLINE.</p> <p>Selezione di pubblicazioni recenti:</p> <ol style="list-style-type: none"> Chiarle R, Budel LM, Skolnik J, Frizzera G, Chilosi M, Corato A, Pizzolo G, Magidson J, Montagnoli A, Pagano M, De Wolf-Peters C, Inghirami G. Increased Proteasome Degradation of Cyclin-Dependent Kinase Inhibitor p27 is associated with a decreased overall survival in mantle cell lymphoma. <i>Blood</i> 95:619-626,2000 Krampera M, Tavecchia L, Benedetti F, Nadali G, Pizzolo G. Intracellular cytokine profile of cord blood T-, and NK-cells and monocytes. <i>Haematologica</i> 85:675-679,2000 Trentin L, Perin A, Siviero M, Piazza F, Facco M, Gurrieri C, Galvan S, Adami F, Agostini C, Pizzolo G, Zambello R, Semenzato G. B7 costimulatory 		

- molecules from malignant cells in patients with B-cell chronic lymphoproliferative disorders trigger T-cell proliferation. *Cancer* **89**:1259-68, 2000
4. Chilosi M, Chiarle R, Lestani M, Menestrina F, Montagna L, Ambrosetti A, Prolla G, Pizzolo G, Doglioni C, Piva R, PAgano M, Inghirami G. Low expression of p27 and low proliferation index do not correlate in hairy cell leukemia. *Br J Haematol* **111**:263-271,2000
 5. Gerli R, Lunardi C, Vinante F, Bistoni O, Pizzolo G, Pitzalis C. Viewpoint: Role of CD30-positive T cells in rheumatoid arthritis: a counter-regulatory paradigm for Th1-driven diseases. *Immunology Today* **22**:72-77,2001
 6. Corato A, Ambrosetti A, Rossi B, Vincenzi C, Lambiase A, Perona G, Pizzolo G, de Wynter E, Nadali G. Transplantation potential of peripheral whole blood primed by VACOP-B chemotherapy plus filgrastim (r-metHuG-CSF) in patients with aggressive non-Hodgkin's lymphoma. *J Hematother Stem Cell Res* **9**:673-682,2000
 7. Chilosi M, Chiarle R, Lestani M, Menestrina F, Montagna L, Ambrosetti A, Prolla G, Pizzolo G, Doglioni C, Piva R, PAgano M, Inghirami G. Low expression of p27 and low proliferation index do not correlate in hairy cell leukemia. *Br J Haematol* **111**:263-271,2000
 8. Vassilakopoulos TP, Nadali G, Angelopoulou MK, Siakantaris MP, Dimopoulou MN, Kontopidou FN, Rassidakis GZ, Doussis-Anagnostopoulou IA, Hatzioannou M, Vaiopoulos G, Kittas C, Sarris AH, Pizzolo G, Pangalis GA. Serum interleukin-10 levels are an independent prognostic factor for patients with Hodgkin's lymphoma. *Haematologica* **86**:274-281,2001
 9. Vinante F, Rigo A, Scupoli MT, Pizzolo G. CD30 triggering by agonistic antibodies regulates CXCR4 expression and CXCL12 chemotactic activity in the cell line L540. *Blood* **99**:52-60,2002
 10. Rassidakis GZ, Medeiros LJ, Viviani S, Bonfante V, Nadali GP, Vassilakopoulos TP, Mesina O, Herling M, Angelopoulou MK, Giardini R, Chilosi M, Kittas C, McLaughlin P, Rodriguez MA, Romaguera J, Bonadonna G, Gianni AM, Pizzolo G, Pangalis GA, Cabanillas F, Sarris AH. CD20 expression in Hodgkin's and Reed-Sterneberg cells of classical Hodgkin's Disease: association with presenting features and clinical outcome. *J Clin Oncol* **20**:1278-1287,2002
 11. Rassidakis GZ, Medeiros LJ, McDonnell TJ, Viviani S, Bonfante V, Nadali G, Vassilakopoulos TP, Giardini R, Chilosi M, Kittas C, Gianni AM, Bonadonna G, Pizzolo G, Pangalis GA, Cabanillas F, Sarris AH. BAX Expression in Hodgkin and Reed-Sternberg Cells of Hodgkin's Disease: Correlation with Clinical Outcome. *Clin Cancer Res* **8**:488-493,2002
 12. Tafuri A, Gregorj C, Petrucci MT, Ricciardi MR, Mancini M, Giuseppe Cimino, Cristina Mecucci, Tedeschi A, Fioritoni G, Ferrara F, Raimondo F, Gallo E, Liso V, Fabbiano F, Cascavilla N, Pizzolo G, Camera A, Pane F, Lanza F, Cilloni D, Annino L, Vitale A, Vegna ML, Vignetti M, Foà R, Mandelli F.. MDR1 protein expression is an independent predictor of complete remission in newly diagnosed adult acute lymphoblastic leukemia . *Blood* **100**: 974-981,2002
 13. Veneri D, Zanetti F, Franchini M, Ambrosetti A, Pizzolo G. Related acute myeloid eukemia in the elderly: evaluation of overall survival in 69 consecutive patients. *Haematologica* **87**:447-8, 2002
 14. Vassilakopoulos TP, Nadali G, Angelopoulou MK, Siakantaris MP, Dimopoulou MN, Kontopidou FN, Karkantaris C, Kokoris SI, Kyrtsolis MC, Tsaftaridis P, Pizzolo G, Pangalis GA. The prognostic significance of κ 2-microglobulin in patients with Hodgkin's lymphoma. *Haematologica* **87**:701-8,2002
 15. Verstovsek S, Lin H, Kantarjian H, Saglio G, De Micheli D, Pane F, Garcia-Manero G, Intriери M, Rotoli B, Salvatore F, Guo JQ, Talpaz M, Specchia G, Pizzolo G, Liberati AM, Cortes J, Quackenbush RC, Arlinghaus RB.. Neutrophilic-chronic myeloid leukemia: low levels of p230 BCR/ABL mRNA and undetectable BCR/ABL protein may predict an indolent course. *Cancer* **94**:2416-25, 2002
 16. Krampera M, Vitale A, Vincenzi C, Perbellini O, Guarini A, Annino L, Todeschini G, Camera A, Fabbiano F, Fioritoni G, Nobile F, Szydlo R, Mandelli F, Foà R, Pizzolo G. Outcome prediction by immunophenotypic minimal residual

disease detection in adult T-cell acute lymphoblastic leukaemia. *Br J Haematol* 120:74-79,2003

17. Scapini P, Nardelli B, Nadali G, Calzetti F, Pizzolo G, Montecucco C, Cassatella MA. G-CSF-stimulated neutrophils are a prominent source of functional B_LY_S. *J Exp Med* 197:297-302, 2003

18. Herling M, Rassidakis GZ, Medeiros LJ, Vassilakopoulos TP, Kliche KO, Nadali G, Viviani S, Bonfante V, Giardini R, Chilosi M, Kittas C, Gianni AM, Bonadonna G, Pizzolo G, Pangalis GA, Cabanillas F, Sarris AH. Expression of Epstein-Barr Virus Latent Membrane Protein-1 in Hodgkin and Reed-Sternberg Cells of Classical Hodgkin's Lymphoma: Associations with Presenting Features, Serum Interleukin 10 Levels, and Clinical Outcome. *Clin Cancer Res* 9:2114-20,2003

19. Scupoli MT, Vinante F, Krampera M, Vincenzi C, Nadali G, Zampieri F, Ritter MA, Eeren E, Santini F, Pizzolo G. Thymic epithelial cells promote survival of human T-cell acute lymphoblastic leukemia blasts: the role of interleukin-7. *Haematologica* 88:1229-37, 2003

20. Todeschini G, Secchi S, Morra E, Vitolo U, Orlandi E, Pasini F, Gallo E, Ambrosetti A, Tecchio C, Tarella C, Gabbas A, Gallamini A, Gargantini L, Pizzuti M, Fioritoni G, Gottin L, Rossi G, Lazzarino M, Menestrina F, Paulli M, Palestro M, Cabras MG, Di Vito F, Pizzolo G. Primary mediastinal large B-cell lymphoma (PMLBCL): long-term results from a retrospective multicentre Italian experience in 138 patients treated with CHOP or MACOP-B/VACOP-B. *Br J Cancer* 90:372-6, 2004

21. Tecchio C, Huber V, Scapini P, Calzetti F, Margotto D, Todeschini G, Pilla L, Martinella G, Pizzolo G, Rivoltini L and Cassatella MA. IFN γ -stimulated neutrophils and monocytes release a soluble form of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) displaying apoptotic activity on leukemic cells. *Blood* 103:3837-44,2004

22. Krampera M, Venturini F, Benedetti F, Oliani A, Carolei S, Visco C, Aqel H, Pizzolo G, Scroccaro G. Computer-based drug management in a bone marrow transplant unit: a suitable tool for multiple prescriptions even in critical conditions. *Br J Haematol* 125:50-7,2004.

23. Del Vecchio L, Brando B, Lanza F, Ortolani C, Pizzolo G, Semenzato G, Basso G. Recommended reporting format flow cytometry diagnosis of acute leukemia. *Haematologica* 89:594-8, 2004

24. Ambrosetti A, Zanotti R, Pattaro C, Lenzi L, Chilosi M, Caramaschi P, Arcaini L, Pasini F, Biasi D, Orlandi E, D'Adda M, Lucioni M, Pizzolo G. Most cases of primary salivary mucosa-associated lymphoid tissue lymphoma are associated either with Sjogren syndrome or hepatitis C virus infection. *Br J Haematol* 126:43-9, 2004

25. Veneri D, Aqel H, Franchini M, Krampera M, Zanotti R, Pizzolo G. Malignant evolution of monoclonal gammopathy of undetermined significance: analysis of 633 consecutive cases with a long term follow-up. *Haematologica* 89:876-8, 2004

26. Visco C, Vassilakopoulos T, Kliche KO, Nadali G, Viviani S, Bonfante V, Medeiros LJ, Notti P, Rassidakis G, Peethambaram P, Wilder R, Witzig T, Gianni M, Bonadonna G, Pizzolo G, Pangalis G, Cabanillas F, Sarris A. Elevated Serum Levels of IL-10 are Associated with Inferior Progression-Free Survival in Patients with Hodgkin's Disease Treated with Radiotherapy. *Leuk Lymphoma* 45:2085-92, 2004

27. Rossi B, Zanolin E, Vincenzi C, Diani F, Pizzolo G, De Wynter E, Nadali G. Effect of Addition of FLT-3 Ligand and Megakaryocyte Growth and Development Factor on Hemopoietic Cells in Serum-Free Conditions. *Stem Cells Dev* 13:362-71, 2004

28. Iannitto E, Ambrosetti A, Ammatuna E, Colosio M, Florena AM, Tripodo

- C, Minardi V, Calvaruso G, Enza Mitra M, Pizzolo G, Menestrina F, Franco V. Splenic marginal zone lymphoma with or without villous lymphocytes. *Cancer* 101:2050-7, 2004
29. Krampera M, Pasini A, Rigo A, Scupoli MT, Tecchio C, Malpeli G, Scarpa A, Dazzi F, Pizzolo G, Vinante F. HB-EGF/HER-1 signalling in bone marrow mesenchymal stem cells: inducing cell expansion and preventing reversibly multi-lineage differentiation. *Blood* 106:59-66, 2005
30. Veneri D, Franchini M, Krampera M, de Matteis G, Solero P, Pizzolo G. Analysis of HFE and TFR2 gene mutations in patients with acute leukemia. *Leuk Res* 29:661-4, 2005
31. Vassilakopoulos TP, Kyrtsolis MC, Papadogiannis A, Nadali G, Angelopoulou MK, Tzenou T, Dimopoulou MN, Siakantaris MP, Kontopidou FN, Kalpadakis C, Kokoris SI, Dimitriadou EM, Tsaftaridis P, Pizzolo G, Pangalis GA. Serum levels of soluble syndecan-1 in Hodgkin's lymphoma. *Anticancer Res* 25:4743-6, 2005
32. Todeschini G, Tecchio C, Pasini F, Benedetti F, Cantini M, Crippa C, Draisci M, Pizzolo G. Hyperfractionated cyclophosphamide with high-doses of arabinosylcytosine and methotrexate (HyperCHiDAM Verona 897). *Cancer* 104:555-60, 2005
33. Veneri D, Franchini M, Krampera M, de Matteis G, Solero P, Pizzolo G. Analysis of HFE and TFR2 gene mutations in patients with acute leukemia. *Leuk Res* 29:661-4, 2005
34. Krampera M, Pasini A, Rigo A, Scupoli MT, Tecchio C, Malpeli G, Scarpa A, Dazzi F, Pizzolo G, Vinante F. HB-EGF/HER-1 signaling in bone marrow mesenchymal stem cells: inducing cell expansion and reversibly preventing multilineage differentiation. *Blood* 106:59-66, 2005
35. Krampera M, Cosmi L, Angeli R, Pasini A, Liotta F, Andreini A, Santarlasci V, Mazzinghi B, Pizzolo G, Vinante F, Romagnani P, Maggi E, Romagnani S, Annunziato F. Role for interferon-gamma in the immunomodulatory activity of human bone marrow mesenchymal stem cells. *Stem Cells* 24:386-98, 2006
36. Veneri D, Franchini M, Raffaelli R, Musola M, Memmo A, Franchi M, Pizzolo G. Idiopathic thrombocytopenic purpura in pregnancy: analysis of 43 consecutive cases followed at a single Italian institution. *Ann Hematol* 85:552-4, 2006
37. Visco C, Canal F, Parolini C, Andreoli A, Ambrosetti A, Krampera M, Lestani M, Pizzolo G, Chilosi M. The impact of P53 and P21(waf1) expression on the survival of patients with the germinal center phenotype of diffuse large B-cell lymphoma. *Haematologica* 91:687-90, 2006
38. Zamo A, Zanotti R, Lestani M, Ott G, Katzenberger T, Scarpa A, Pizzolo G, Menestrina F, Chilosi M. Molecular characterization of composite mantle cell and follicular lymphoma. *Virchows Arch* 448:639-43, 2006
39. Iannitto E, Minardi V, Callea V, Stelitano C, Calvaruso G, Tripodo C, Quintini G, De Cantis S, Ambrosetti A, Pizzolo G, Franco V, Florena AM, Abbadessa V. Assessment of the frequency of additional cancers in patients with splenic marginal zone lymphoma. *Eur J Haematol* 76:134-40, 2006
40. Cairoli R, Beghini A, Grillo G, Nadali G, Elice F, Ripamonti CB, Colapietro P, Nichelatti M, Pezzetti L, Lunghi M, Cuneo A, Viola A, Ferrara F, Lazzarino M, Rodeghiero F, Pizzolo G, Larizza L, Morra E. Prognostic impact of c-KIT mutations in core binding factor leukemias: an Italian retrospective study. *Blood* 107:3463-8, 2006
41. Krampera M, Perbellini O, Vincenzi C, Zampieri F, Pasini A, Scupoli MT, Guarini A, De Propriis MS, Coustan-Smith E, Campana D, Foà R, Pizzolo G. Methodological approach to minimal residual disease detection by flow cytometry in adult B-lineage acute lymphoblastic leukemia. *Haematologica* 91:1109-12,

2006

42. Visco C, Nadali G, Vassilakopoulos TP, Bonfante V, Viviani S, Gianni AM, Federico M, Luminari S, Peethambaram P, Witzig TE, Pangalis G, Cabanillas F, Medeiros LJ, Sarris AH, Pizzolo G. Very high levels of soluble CD30 recognize the patients with classical Hodgkin's lymphoma retaining a very poor prognosis. *Eur J Haematol* 77:387-94, 2006
43. Medeiros LJ, Sarris AH, Pizzolo G. Very high levels of soluble CD30 recognize the patients with classical Hodgkin's lymphoma retaining a very poor prognosis. *Eur J Haematol* 77:387-94, 2006
44. Krampera M, Pasini A, Pizzolo G, Cosmi L, Romagnani S, Annunziato F. Regenerative and immunomodulatory potential of mesenchymal stem cells. *Curr Opin Pharmacol* 6:435-41, 2006
45. Krampera M, Marconi S, Pasini A, Galiè M, Rigotti G, Mosna F, Tinelli M, Lovato L, Anghileri E, Andreini A, Pizzolo G, Sbarbati A, Bonetti B. Induction of neural-like differentiation in human mesenchymal stem cells derived from bone marrow, fat, spleen and thymus. *Bone* 40:382-90, 2006
46. Visco C, Arcaini L, Brusamolino E, Burcheri S, Ambrosetti A, Merli M, Bonoldi E, Chilosi M, Viglio A, Lazzarino M, Pizzolo G, Rodeghiero F. Distinctive natural history in hepatitis C virus positive diffuse large B-cell lymphoma: analysis of 156 patients from northern Italy. *Ann Oncol* 17:1434-40, 2006
47. Visco C, Canal F, Parolini C, Andreoli A, Ambrosetti A, Krampera M, Lestani M, Pizzolo G, Chilosi M. The impact of P53 and P21(waf1) expression on the survival of patients with the germinal center phenotype of diffuse large B-cell lymphoma. *Haematologica* 91:687-90, 2006
48. Zanotti R, Ambrosetti A, Lestani M, Ghia P, Pattaro C, Remo A, Zanetti F, Stella S, Perbellini O, Prato G, Guida G, Caligaris-Cappio F, Menestrina F, Pizzolo G, Chilosi M. ZAP-70 expression, as detected by immunohistochemistry on bone marrow biopsies from early-phase CLL patients, is a strong adverse prognostic factor. *Leukemia* 21:102-9, 2007
49. Scupoli MT, Perbellini O, Krampera M, Vinante F, Cioffi F, Pizzolo G. Interleukin 7 requirement for survival of T-cell acute lymphoblastic leukemia and human thymocytes on bone marrow stroma. *Haematologica* 92:264-6, 2007
50. Vitale A, Guarini A, Ariola C, Meloni G, Perbellini O, Pizzuti M, De Gregoris C, Mettievier V, Pastorini A, Pizzolo G, Vignetti M, Mandelli F, Foà R. Absence of prognostic impact of CD13 and/or CD33 antigen expression in adult acute lymphoblastic leukemia. Results of the GIMEMA ALL 0496 trial. *Haematologica* 92:342-8, 2007
51. Tecchio C, Nadali G, Scapini P, Bonetto C, Visco C, Tamassia N, Vassilakopoulos TP, Pangalis GA, Calzetti F, Nardelli B, Roschke V, Gottardi M, Zampieri F, Gherlinzoni F, Facchetti F, Pizzolo G, Cassatella MA. High serum levels of B-lymphocyte stimulator are associated with clinical-pathological features and outcome in classical Hodgkin lymphoma. *Br J Haematol* 137:553-9, 2007
52. Krampera M, Sartoris S, Liotta F, Pasini A, Angeli R, Cosmi L, Andreini A, Mosna F, Bonetti B, Rebellato E, Testi MG, Frosali F, Pizzolo G, Tridente G, Maggi E, Romagnani S, Annunziato F. Immune regulation by mesenchymal stem cells derived from adult spleen and thymus. *Stem Cells Dev* 16:797-810, 2007
53. Visco C, Ruggeri M, Evangelista ML, Stasi R, Zanotti R, Giaretta I, Ambrosetti A, Madeo D, Pizzolo G, Rodeghiero F. Impact of immune thrombocytopenia on the clinical course of chronic lymphocytic leukemia. *Blood* 111:1110-6, 2008
54. Veneri D, Franchini M, de Sabata D, Ledro S, Vella A, Ortolani R, Pizzolo G, Benedetti F. Peripheral blood CD5-positive B lymphocytes (B-1a cells) after allogeneic stem cell transplantation for acute myeloid leukaemia in humans.

	<p><i>Blood Transfus</i> 6:220-4, 2008</p> <p>55. Trojani A, Ripamonti CB, Penco S, Beghini A, Nadali G, Di Bona E, Viola A, Castagnola C, Colapietro P, Grillo G, Pezzetti L, Ravelli E, Patrosso MC, Marocchi A, Cuneo A, Ferrara F, Lazzarino M, Pizzolo G, Cairoli R, Morra E. Molecular analysis of PDGFRA and PDGFRB genes by rapid single-strand conformation polymorphism (SSCP) in patients with core-binding factor leukaemias with KIT or FLT3 mutation. <i>Anticancer Res</i> 28:2745-51, 2008</p> <p>56. Tarella C, Zanni M, Magni M, Benedetti F, Patti C, Barbui T, Pileri A, Boccadoro M, Ciceri F, Gallamini A, Cortelazzo S, Majolino I, Mirto S, Corradini P, Passera R, Pizzolo G, Gianni AM, Rambaldi A. Rituximab improves the efficacy of high-dose chemotherapy with autograft for high-risk follicular and diffuse large B-cell lymphoma: a multicenter Gruppo Italiano Terapie Innovative nei linfomi survey. <i>J Clin Oncol</i> 26:3166-75, 2008</p> <p>57. Flex E, Petrangeli V, Stella L, Chiaretti S, Hornakova T, Knoops L, Ariola C, Fodale V, Clappier E, Paoloni F, Martinelli S, Fragale A, Sanchez M, Tavolaro S, Messina M, Cazzaniga G, Camera A, Pizzolo G, Tornesello A, Vignetti M, Battistini A, Cavé H, Gelb BD, Renauld JC, Biondi A, Constantinescu SN, Foà R, Tartaglia M. Somatically acquired JAK1 mutations in adult acute lymphoblastic leukemia. <i>J Exp Med</i> 205(4):751-8, 2008</p> <p>58. Scupoli MT, Donadelli M, Cioffi F, Rossi M, Perbellini O, Malpeli G, Corbioli S, Vinante F, Krampera M, Palmieri M, Scarpa A, Ariola C, Foà R, Pizzolo G. Bone marrow stromal cells and the upregulation of interleukin-8 production in human T-cell acute lymphoblastic leukemia through the CXCL12/CXCR4 axis and the NF-kappaB and JNK/AP-1 pathways. <i>Haematologica</i> 93:524-32, 2008</p> <p>59. Visco C, Ruggeri M, Laura Evangelista M, Stasi R, Zanotti R, Giaretta I, Ambrosetti A, Madeo D, Pizzolo G, Rodeghiero F. Impact of immune thrombocytopenia on the clinical course of chronic lymphocytic leukemia. <i>Blood</i> 111:1110-6, 2008</p>