

CURRICULUM VITAE

Personal data:

Cristina Tecchio, MD PhD

Born in Legnago (Verona, Italy), February 16th, 1966

Address: Department of Medicine, Hematology and Bone Marrow Transplant Unit,
Policlinico G.B. Rossi, Piazzale L.A. Scuro, 37134, Verona, Italy

Telephone: +39-45-8124443

e-mail: cristina.tecchio@univr.it

Education:

- 1992 Medical Degree with honors, Verona University School of Medicine, Verona, Italy
- 1996 Specialization in Hematology with honors, Verona University School of Medicine, Verona, Italy
- 2001 PhD in Molecular and Cellular Biology and Pathology, Padova University School of Medicine, Padova, Italy

Professional Experience:

- 1992-1996 Clinical fellow, Department of Medicine, Hematology Unit, Verona University Hospital, Verona, Italy.
- 1995-1996 Postdoctoral research associate, Hematology-Oncology Department, St Jude Children's Research Hospital, Memphis (TN), USA
- 1997-2001 PhD researcher, Department of Pathology and Diagnostics, Section of General Pathology, Verona University School of Medicine, Verona, Italy
- 1998-2001 Consultant hematologist, Department of Medicine, Oncology and Radiotherapy Unit, Verona University Hospital, Verona, Italy
- 2003-2005 Consultant hematologist, Department of Medicine, Hematology Unit, Treviso Regional Hospital, Treviso, Italy
- 2006- Assistant Professor, Department of Medicine, Hematology and Bone Marrow Transplant Unit, Verona University School of Medicine, Verona, Italy

Publications:

Mosna F, Papayannidis C, Martinelli G, Di Bona E, Bonalumi A, Tecchio C, Candoni A, Capelli D, Piccin A, Forghieri F, Bigazzi C, Visani G, Zambello R, Zanatta L, Volpato F, Paolini S, Testoni N, Gherlinzoni F, Gottardi M. Complex karyotype, older age and reduced first-line dose intensity determine poor survival in core binding factor acute myeloid leukemia patients with long-term follow-up. *Am J Hematol.* 2015;90:515-23.

Tecchio C, Micheletti A, Cassatella M.A. Neutrophil-derived cytokines: Facts beyond expression. *Frontiers in Immunology*, 2014 Oct 21;5:508.

Mimiola E, Marini O, Perbellini O, Micheletti A, Vermi W, Lonardi S, Costantini C, Meneghelli E, Andreini A, Bonetto C, Vassanelli A, Cantini M, Zoratti E, Massi D, Zamo' A, Leso A, Quaresmini G, Benedetti F, Pizzolo G, Cassatella MA, Tecchio C. Rapid reconstitution of functionally active 6-sulfoLacNAc(+) dendritic cells (sIaDCs) of donor origin following allogeneic haematopoietic stem cell transplant. *Clin Exp Immunol.* 2014;178:129-41.

Tecchio C, Cassatella MA. Neutrophil-derived cytokines involved in physiological and pathological angiogenesis. *Chem Immunol Allergy.* 2014;99:123-37.

Di Paola R, Costantini C, Tecchio C, Salvagno GL, Montemezzi R, Perandini A, Pizzolo G, Zaffagnini S, Franchi M. Anti-Müllerian hormone and antral follicle count reveal a late impairment of ovarian reserve in patients undergoing low-gonadotoxic regimens for hematological malignancies. *Oncologist.* 2013;18:1307-14.

Cavallini C, Lovato O, Bertolaso A, Pacelli L, Zoratti E, Zanolin E, Krampera M, Zamò A, Tecchio C, Cassatella MA, Pizzolo G, Scupoli MT. The TNF-family cytokine TL1A inhibits proliferation of human activated B cells. *PLoS One.* 2013;8:e60136.

Tecchio C, Scapini P, Pizzolo G, Cassatella MA. On the cytokines produced by human neutrophils in tumors. *Semin Cancer Biol.* 2013;23:159-70.

Tecchio C, Bonetto C, Bertani M, Cristofalo D, Lasalvia A, Nichele I, Bonani A, Andreini A, Benedetti F, Ruggeri M, Pizzolo G. Predictors of anxiety and depression in hematopoietic stem cell transplant patients during protective isolation. *Psychooncology.* 2013;22:1790-7.

De Matteis G, Veneri D, Aprili F, Benati M, Paviati E, Guidi GC, Pizzolo G, Tecchio C. A novel large-sized BCR-ABL transcript in a case of chronic myeloid leukaemia characterised by a favourable clinical course. *Ann Hematol.* 2013;92:413-5.

Tecchio C, Mosna F, Andreini A, Paoli L, Di Bella R, de Sabata D, Sorio M, Pizzolo G, Benedetti F. The National Institutes of Health criteria for classification and scoring of chronic graft versus host disease: long-term follow-up of a single center series. *Leuk Lymphoma.* 2013;54:1020-7.

Ferrari S, Tecchio C, Turri G, Richelli S, Ghimenton C, Monaco S, Todeschini G. Unusual case of solitary intraparenchymal brain plasmacytoma. *J Clin Oncol.* 2012;30:e350-2.

Todeschini G, Bonifacio M, Tecchio C, Balter R, Carli G, Stefani PM, Adami F, Zamò A, Dei Tos AP, Marino F, Gherlinzoni F, Marradi P, Semenzato G, Pizzolo G. Intensive short-term chemotherapy regimen induces high remission rate (over 90%) and event-free survival both in children and adult patients with advanced sporadic Burkitt lymphoma/leukemia. *Am J Hematol.* 2012;87:22-5.

Veneri D, Tecchio C, De Matteis G, Paviati E, Benati M, Franchini M, Pizzolo G. Long-term persistence of molecular response after discontinuation of interferon-alpha in two patients with chronic myeloid leukaemia. *Blood Transfus.* 2012;10:233-4.

Tecchio C, Nichele I, Mosna F, Zampieri F, Leso A, Al-Khaffaf A, Veneri D, Andreini A, Pizzolo G, Ambrosetti A. A proliferation-inducing ligand (APRIL) serum levels predict time to first treatment in patients affected by B-cell chronic lymphocytic leukemia. *Eur J Haematol.* 2011;87:228-34.

Della Peruta M, Martinelli G, Moratti E, Pintani D, Vezzalini M, Mafficini A, Grafone T, Iacobucci I, Soverini S, Murineddu M, Vinante F, Tecchio C, Piras G, Gabbas A, Monne M, Sorio C. Protein tyrosine phosphatase receptor type {gamma} is a functional tumor suppressor gene specifically downregulated in chronic myeloid leukemia. *Cancer Res.* 2010;70:8896-906.

Todeschini G, Bonifacio M, Tecchio C, Dalceglio D, Benedetti F, Gabbas A, Pizzolo G. A preliminary experience with the HyperCHiDAM Verona intensive chemotherapy regimen in heavily pretreated refractory Hodgkin's lymphoma. *Hematol Oncol.* 2011;29:151-3.

Tecchio C, Colato C, Bonifacio M, Krampera M, Maluta S, Pizzolo G, Girolomoni G. Plasmacytoid dendritic cell leukemia: a rapidly evolving disease presenting with skin lesions sensitive to radiotherapy plus hyperthermia. *Oncologist.* 2009;14:1205-8.

Tecchio C, Nichele I, Todeschini G, Pizzolo G, Ambrosetti A. Dasatinib-induced response in a rare case of chronic lymphocytic leukaemia associated with chronic myeloid leukaemia. *Br J Haematol.* 2009;146:222-3.

Tecchio C, Nadali G, Scapini P, Bonetto C, Visco C, Tamassia N, Vassilakopoulos TP, Pangalis GA, Calzetti F, Nardelli B, Roschke V, Gottardi M, Zampieri F, Gherlinzoni F, Facchetti F, Pizzolo G, Cassatella MA. High serum levels of B-lymphocyte stimulator are associated with clinical-pathological features and outcome in classical Hodgkin lymphoma. *Br J Haematol.* 2007;137:553-9.

Lissandrini D, Vermi W, Vezzalini M, Sozzani S, Facchetti F, Bellone G, Mafficini A, Gentili F, Ennas MG, Tecchio C, Sorio C. Receptor-type protein tyrosine phosphatase gamma (PTPgamma), a new identifier for myeloid dendritic cells and specialized macrophages. *Blood.* 2006;108:4223-31.

Gottardi M, Gattei V, Degan M, Bomben R, Zucchetto A, Tecchio C, Laurino L, Zanatta L, Dei Tos AP, Mordacchini M, Canal F, Gherlinzoni F. Concomitant chronic lymphocytic leukemia and acute myeloid leukemia: evidence of simultaneous expansion of two independent clones. *Leuk Lymphoma.* 2006;47:885-9.

Stefani PM, Gottardi M, Zanetti F, Tecchio C, Sartor D, Gherlinzoni F. Preemptive antifungal therapy among neutropenic patients. *Clin Infect Dis.* 2006;42:1507-8.

Todeschini G, Tecchio C, Borghero C, D'Emilio A, Pegoraro E, de Lalla F, Benedetti P, Spolaore P, Pellizzer G. Association between Enterococcus bacteraemia and death in neutropenic patients with haematological malignancies. *J Infect.* 2006;53:266-73.

Cassatella MA, Huber V, Calzetti F, Margotto D, Tamassia N, Peri G, Mantovani A, Rivoltini L, Tecchio C. Interferon-activated neutrophils store a TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) intracellular pool that is readily mobilizable following exposure to proinflammatory mediators. *J Leukoc Biol.* 2006;79:123-32.

Todeschini G, Tecchio C, Pasini F, Benedetti F, Cantini M, Crippa C, Draisci M, Pizzolo G. Hyperfractionated cyclophosphamide with high-doses of arabinosylcytosine and methotrexate (HyperCHiDAM Verona 897). *Cancer.* 2005;104:555-60.

Krampera M, Pasini A, Rigo A, Scupoli MT, Tecchio C, Malpeli G, Scarpa A, Dazzi F, Pizzolo G, Vinante F. HB-EGF/HER-1 signaling in bone marrow mesenchymal stem cells: inducing cell expansion and

reversibly preventing multilineage differentiation. *Blood*. 2005;106:59-66.

Scapini P, Morini M, Tecchio C, Minghelli S, Di Carlo E, Tanghetti E, Albini A, Lowell C, Berton G, Noonan DM, Cassatella MA. CXCL1/macrophage inflammatory protein-2-induced angiogenesis in vivo is mediated by neutrophil-derived vascular endothelial growth factor-A. *J Immunol*. 2004;172:5034-40.

Todeschini G, Gelio S, Tecchio C. Rituximab-CHOP or two-weekly CHOP + G-CSF in aggressive lymphoma of the elderly? *Ann Oncol*. 2004;15:538-9.

Todeschini G, Secchi S, Morra E, Vitolo U, Orlandi E, Pasini F, Gallo E, Ambrosetti A, Tecchio C, Tarella C, Gabbas A, Gallamini A, Gargantini L, Pizzuti M, Fioritoni G, Gottin L, Rossi G, Lazzarino M, Menestrina F, Paulli M, Palestro M, Cabras MG, Di Vito F, Pizzolo G. Primary mediastinal large B-cell lymphoma (PMLBCL): long-term results from a retrospective multicentre Italian experience in 138 patients treated with CHOP or MACOP-B/VACOP-B. *Br J Cancer*. 2004;90:372-6.

Tecchio C, Huber V, Scapini P, Calzetti F, Margotto D, Todeschini G, Pilla L, Martinelli G, Pizzolo G, Rivoltini L, Cassatella MA. IFN α -stimulated neutrophils and monocytes release a soluble form of TNF-related apoptosis-inducing ligand (TRAIL/Apo-2 ligand) displaying apoptotic activity on leukemic cells. *Blood*. 2004;103:3837-44.

Sorio C, Moore PS, Ennas MG, Tecchio C, Bonora A, Sartoris S, Balzarini P, Grigolato P, Scarpa A. A novel cell line and xenograft model of ampulla of Vater adenocarcinoma. *Virchows Arch*. 2004;444:269-77.

Liu S, Sugimoto Y, Sorio C, Tecchio C, Lin YC. Function analysis of estrogenically regulated protein tyrosine phosphatase gamma (PTPgamma) in human breast cancer cell line MCF-7. *Oncogene*. 2004;23:1256-62.

Laudanna C, Sorio C, Tecchio C, Butcher EC, Bonora A, Bassi C, Scarpa A. Motility analysis of pancreatic adenocarcinoma cells reveals a role for the atypical zeta isoform of protein kinase C in cancer cell movement. *Lab Invest*. 2003;83:1155-63.

Ito C, Tecchio C, Coustan-Smith E, Suzuki T, Behm FG, Raimondi SC, Pui CH, Campana D. The antifungal antibiotic clotrimazole alters calcium homeostasis of leukemic lymphoblasts and induces apoptosis. *Leukemia*. 2002;16:1344-52.

Ricetti MM, Guidi GC, Tecchio C, Bellisola G, Rigo A, Perona G. Effects of sodium selenite on in vitro interactions between platelets and endothelial cells. *Int J Clin Lab Res*. 1999;29:80-4.

Todeschini G, Murari C, Bonesi R, Pizzolo G, Verlato G, Tecchio C, Meneghini V, Franchini M, Giuffrida C, Perona G, Bellavite P. Invasive aspergillosis in neutropenic patients: rapid neutrophil recovery is a risk factor for severe pulmonary complications. *Eur J Clin Invest*. 1999;29:453-7.

Todeschini G, Franchini M, Tecchio C, Meneghini V, Pizzolo G, Veneri D, Murari C, Ricetti MM, Perona G. Improved prognosis of *Pseudomonas aeruginosa* bacteremia in 127 consecutive neutropenic patients with hematologic malignancies. *Int J Infect Dis*. 1998-1999 Winter;3(2):99-104.

Vinante F, Rigo A, Tecchio C, Morosato L, Nadali G, Ricetti MM, Krampera M, Zanolin E, Locatelli F, Gallati H, Chilosi M, Pizzolo G. Serum levels of p55 and p75 soluble TNF receptors in adult acute leukaemia at diagnosis: correlation with clinical and biological features and outcome. *Br J Haematol*. 1998;102:1025-34.

Todeschini G, Tecchio C, Meneghini V, Pizzolo G, Veneri D, Zanotti R, Ricetti MM, Solero P, April F, Perona G. Estimated 6-year event-free survival of 55% in 60 consecutive adult acute lymphoblastic leukemia patients treated with an intensive phase II protocol based on high induction dose of daunorubicin. *Leukemia*. 1998;12:144-9.

Todeschini G, Tecchio C, Degani D, Meneghini V, Marradi P, Balter R, Zanotti R, Ricetti M, Franchini M, Perona G. Eighty-one percent event-free survival in advanced Burkitt's lymphoma/leukemia: no differences in outcome between pediatric and adult patients treated with the same intensive pediatric protocol. *Ann Oncol.* 1997;8 Suppl 1:77-81.

Vinante F, Rigo A, Tecchio C, Patuzzo C, Ricetti MM, Morosato L, Cassatella MA, Chilosi M, Pizzolo G. Preferential release of high amounts of interleukin-8 by myeloid blasts showing monocytic differentiation. *Haematologica.* 1996 May-Jun;81:195-200.

Nadali G, Vinante F, Stein H, Todeschini G, Tecchio C, Morosato L, Chilosi M, Menestrina F, Kinney MC, Greer JP, et al. Serum levels of the soluble form of CD30 molecule as a tumor marker in CD30+ anaplastic large-cell lymphoma. *J Clin Oncol.* 1995;13:1355-60.

Nadali G, Vinante F, Rigo A, Tecchio C, Morosato L, Zanolin E, Perona G, Chilosi M, Pizzolo G. Correlation between clinical features and circulating levels of soluble intercellular adhesion molecule-1 in Hodgkin's disease. *Int J Clin Lab Res.* 1995;25:84-7.

Todeschini G, Meneghini V, Pizzolo G, Cassibba V, Ambrosetti A, Veneri D, Nadali G, Zanotti R, Tecchio C, Perona G. Relationship between Daunorubicin dosage delivered during induction therapy and outcome in adult acute lymphoblastic leukemia. *Leukemia.* 1994;8:376-81.